

Message

From: McGuire, Thomas M (DPH) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MASSMAIL-01/CN=RECIPIENTS/CN=THOMAS.M.MCGUIRE]
Sent: 3/20/2012 6:05:15 PM
To: Hanchett, James (DPH) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MassMail-01/cn=Recipients/cn=James.Hanchett]
Subject: RE: Agilent Vacuum Pump Quote

No, we can not order directly from Agilent.

From: Hanchett, James (DPH)
Sent: Tuesday, March 20, 2012 1:57 PM
To: McGuire, Thomas M (DPH)
Subject: FW: Agilent Vacuum Pump Quote

Hi Tom,

GovSci is having problems with the quote because of the \$700 refund. Can we order directly from Agilent.

Thanks,

From: Jeannie Ruiz [mailto:jruiz@govsci.com]
Sent: Tuesday, March 20, 2012 1:11 PM
To: Hanchett, James (DPH)
Subject: RE: Agilent Vacuum Pump Quote

Hi James,

Can you order directly from Agilent? Since they are given you a credit of \$701.00 but not showing it on the quote I feel a little nervous about moving forward. Let me know if you have any suggestions.

Jeannie Ruiz
Sales Account Manager
Government Scientific Source
12351 Sunrise Valley Drive
Reston, VA. 20191
Tele: 703-734-1805
Fax: 703-734-1803

-----Original Message-----

From: Hanchett, James (DPH) [mailto:james.hanchett@state.ma.us]
Sent: Thursday, March 15, 2012 2:09 PM
To: Jeannie Ruiz
Subject: Agilent Vacuum Pump Quote

Hi Jeannie,

I need a quote from Agilent for vacuum pump part #G3170-80025. Attached is a quote I received today from Agilent for the vacuum pump we need, I don't know if you can use it. We will be retuning old pump for a

\$701.00 credit. So when pump is ordered you must inform them of the return so appropriate packaging material will be sent to us.

Thanks,

Jim Hanchett
Amherst Drug Lab
Room N251 Morrill I
637 North Pleasant Street
Amherst, MA 01003
Phone 413-545-2607
Fax 413-545-2608
Cell [REDACTED]

"This electronic message may contain confidential, privileged and/or legally proprietary material for the sole use of the intended recipient(s). Any review, disclosure, copying, use or distribution by others is strictly prohibited. If you are not the intended recipient, please delete all copies and contact the sender."